



Protective caps



Material:
Neoprene or Polyamide.

Version:
Neoprene black, oil resistant, Shore hardness 75A.
Polyamide white.


Sample order:
K0106.03



KIPP Protective caps

Order No.	Form	Main material	D	D1	D2	H	H1	for screws
K0106.06	A	polyamide	9	-	6,6	4	2,3	M3
K0106.01	B	neoprene	11	6,6	5,5	8,5	4	M4
K0106.02	B	neoprene	12,5	7,3	6,5	10	4,7	M5
K0106.03	B	neoprene	15	9,9	8,5	12	5,8	M6
K0106.04	B	neoprene	19	12,7	11	15	7,1	M8
K0106.07	B	neoprene	23	15	14,5	18	9	M10
K0106.05	B	neoprene	26	19	16,5	20	10	M12
K0106.08	B	neoprene	33	24	22	27	13	M16

Antistatic protective caps

**Material:**

Neoprene.

Version:

Neoprene black, oil resistant, Shore hardness 75A.

Sample order:

K0106.0124

Application:

Sensitive electrical or electronic equipment, components and devices (ESD sensitive elements) may be damaged or destroyed by electrostatic discharges (ESD) in the immediate vicinity.

Electrostatic discharges can come from people or through handling ESD sensitive components (e.g. during production, assembly, transport, storage etc).

Electrically conductive products which conform to DIN EN 61340-5-1 are essential within electronic environments to prevent an electrostatic discharge. These products can be used for ESD applications or in ESD protection areas (EPA) in accordance with DIN EN 61340-5-1.

Advantages:

- Made from a special electrically conductive plastic
- To protect sensitive electrical or electronic parts, components and devices

Safety:

These ESD products can also be used for devices, components and protection systems in areas where there is risk of explosion.

These ESD products prevent electrostatic spark discharges, and eliminate the risk of ignition of gases and dust which could lead to explosions in enclosed spaces.


Manufacturers and operators must apply and comply with the ATEX directives for protecting persons working in areas where there is a risk of explosion.

These ESD products have been certified by TÜV-Süd for their electrical discharge capability.

Target groups:

Device manufacturers required to conform to ATEX product directive 2014/34/EU.

Operators required to conform to ATEX worker protection directive 1999/92/EC.

**KIPP Antistatic protective caps**

Order No.	D	D1	D2	H	H1	for screws
K0106.0124	11	6,6	5,5	8,5	4	M4
K0106.0224	12,5	7,3	6,8	10	4,7	M5
K0106.0324	15	9,9	8,5	12	5,8	M6
K0106.0424	19	12,7	11,3	15	7,1	M8