

## V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



**Material:**

Grey cast iron EN-GJL-250.

**Version:**

Phosphated

**Sample order:**

nIm 22070-10631

**Note:**

V-belt pulleys for use with narrow V-belt DIN 2215 and V-belt DIN 7753.


The V-belt pulleys are based on DIN 2211 or DIN 2217. They have a conical bore for taper clamping bushes. The taper clamping bushes must be ordered separately and are available for various shaft diameters.

The V-belt pulleys are statically balanced according to ISO 1940 quality class G6,3.

The V-belt pulleys are designed for a maximum circumferential speed of 35 m/s.

**Accessories:**

Taper clamping bushes 23200.



Order No.	Version 1	Version 2	Form	N = No. of grooves	B	B1	C	D	D1 max.	D2	D5	E	E1	L	L1	T	α
22070-10631	type spz/10/z	for taper bush 1108	A	1	16	8,5	2	63	62	11-28	-	8	12	22	6	11	34°
22070-10632	type spz/10/z	for taper bush 1108	J	2	28	8,5	2	63	-	11-28	38	8	12	22	6	11	34°
22070-10633	type spz/10/z	for taper bush 1108	J	3	40	8,5	2	63	-	11-28	38	8	12	22	18	11	34°
22070-10671	type spz/10/z	for taper bush 1108	A	1	16	8,5	2	67	62	11-28	-	8	12	22	6	11	34°
22070-10672	type spz/10/z	for taper bush 1108	J	2	28	8,5	2	67	-	11-28	38	8	12	22	6	11	34°
22070-11673	type spz/10/z	for taper bush 1108	J	3	40	8,5	2	67	-	11-28	38	8	12	22	18	11	34°
22070-12711	type spz/10/z	for taper bush 1108	A	1	16	8,5	2	71	62	11-28	-	8	12	22	6	11	34°
22070-13712	type spz/10/z	for taper bush 1108	J	2	28	8,5	2	71	-	11-28	42	8	12	22	6	11	34°

## V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



22070-14713	type spz/10/z	for taper bush 1108	J	3	40	8,5	2	71	-	11-28	42	8	12	22	18	11	34°
22070-15751	type spz/10/z	for taper bush 1108	A	1	16	8,5	2	75	62	11-28	-	8	12	22	6	11	34°
22070-16752	type spz/10/z	for taper bush 1210	J	2	28	8,5	2	75	-	11-32	48	8	12	25	3	11	34°
22070-17753	type spz/10/z	for taper bush 1210	J	3	40	8,5	2	75	-	11-32	48	8	12	25	15	11	34°
22070-18801	type spz/10/z	for taper bush 1210	A	1	16	8,5	2	80	75	11-32	-	8	12	25	9	11	34°
22070-19802	type spz/10/z	for taper bush 1210	J	2	28	8,5	2	80	-	11-32	52	8	12	25	3	11	34°
22070-10803	type spz/10/z	for taper bush 1210	J	3	40	8,5	2	80	-	11-32	52	8	12	25	15	11	34°
22070-21851	type spz/10/z	for taper bush 1210	A	1	16	8,5	2	85	86	11-32	-	8	12	25	9	11	38°
22070-22852	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	85	-	12-42	57	8	12	25	3	11	38°
22070-23853	type spz/10/z	for taper bush 1610	J	3	40	8,5	2	85	-	12-42	57	8	12	25	15	11	38°
22070-24901	type spz/10/z	for taper bush 1210	A	1	16	8,5	2	90	86	11-32	-	8	12	25	9	11	38°
22070-25902	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	90	-	12-42	62	8	12	25	3	11	38°
22070-26903	type spz/10/z	for taper bush 1610	J	3	40	8,5	2	90	-	12-42	62	8	12	25	15	11	38°
22070-27951	type spz/10/z	for taper bush 1210	A	1	16	8,5	2	95	86	11-32	-	8	12	25	9	11	38°
22070-28952	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	95	-	12-42	67	8	12	25	3	11	38°
22070-29953	type spz/10/z	for taper bush 1610	J	3	40	8,5	2	95	-	12-42	67	8	12	25	15	11	38°
22070-11001	type spz/10/z	for taper bush 1210	A	1	16	8,5	2	100	86	11-32	-	8	12	25	9	11	38°
22070-11002	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	100	-	12-42	71	8	12	25	3	11	38°
22070-11003	type spz/10/z	for taper bush 1610	J	3	40	8,5	2	100	-	12-42	71	8	12	25	15	11	38°
22070-11061	type spz/10/z	for taper bush 1610	A	1	16	8,5	2	106	92	12-42	-	8	12	25	9	11	38°
22070-11062	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	106	-	12-42	76	8	12	25	3	11	38°
22070-11063	type spz/10/z	for taper bush 1615	J	3	40	8,5	2	106	-	12-42	76	8	12	25	15	11	38°
22070-11121	type spz/10/z	for taper bush 1610	A	1	16	8,5	2	112	92	12-42	-	8	12	25	9	11	38°
22070-11122	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	112	-	12-42	84	8	12	25	3	11	38°
22070-11123	type spz/10/z	for taper bush 2012	J	3	40	8,5	2	112	-	14-50	84	8	12	32	8	11	38°
22070-11181	type spz/10/z	for taper bush 1610	A	1	16	8,5	2	118	92	12-42	-	8	12	25	9	11	38°
22070-11182	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	118	-	12-42	90	8	12	25	3	11	38°
22070-11183	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	118	-	14-50	90	8	12	32	8	11	38°
22070-11251	type spz/10/z	for taper bush 1610	A	1	16	8,5	2	125	92	12-42	-	8	12	25	9	11	38°
22070-11252	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	125	-	12-42	98	8	12	25	3	11	38°
22070-11253	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	125	-	14-50	98	8	12	32	8	11	38°
22070-11321	type spz/10/z	for taper bush 1610	A	1	16	8,5	2	132	92	12-42	-	8	12	25	9	11	38°
22070-11322	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	132	-	12-42	103	8	12	25	3	11	38°
22070-11323	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	132	-	14-50	103	8	12	32	8	11	38°
22070-11401	type spz/10/z	for taper bush 1610	D	1	16	8,5	2	140	92	12-42	-	8	12	25	9	11	38°
22070-11402	type spz/10/z	for taper bush 1610	J	2	28	8,5	2	140	-	12-42	112	8	12	25	3	11	38°
22070-11403	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	140	-	14-50	112	8	12	32	8	11	38°
22070-11501	type spz/10/z	for taper bush 1610	D	1	16	8,5	2	150	92	12-42	-	8	12	25	9	11	38°
22070-11502	type spz/10/z	for taper bush 2012	A	2	28	8,5	2	150	112	14-50	-	8	12	32	4	11	38°
22070-11503	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	150	-	14-50	122	8	12	32	8	11	38°
22070-11601	type spz/10/z	for taper bush 1610	D	1	16	8,5	2	160	92	12-42	-	8	12	25	9	11	38°
22070-11602	type spz/10/z	for taper bush 2012	D	2	28	8,5	2	160	112	14-50	-	8	12	32	4	11	38°
22070-11603	type spz/10/z	for taper bush 2012	B	3	40	8,5	2	160	-	14-50	131	8	12	32	8	11	38°
22070-11801	type spz/10/z	for taper bush 1610	D	1	16	8,5	2	180	92	12-42	152	8	12	25	9	11	38°
22070-11802	type spz/10/z	for taper bush 2012	D	2	28	8,5	2	180	106	14-50	152	8	12	32	4	11	38°
22070-11803	type spz/10/z	for taper bush 2012	E	3	40	8,5	2	180	106	14-50	152	8	12	32	8	11	38°
22070-12001	type spz/10/z	for taper bush 2012	D	1	16	8,5	2	200	112	14-50	171	8	12	32	16	11	38°
22070-12002	type spz/10/z	for taper bush 2012	D	2	28	8,5	2	200	112	14-50	171	8	12	32	4	11	38°
22070-12003	type spz/10/z	for taper bush 2012	F	3	40	8,5	2	200	112	14-50	171	8	12	32	4	11	38°

## V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



22070-12241	type spz/10/z	for taper bush 2012	L	1	16	8,5	2	224	110	14-50	195	8	12	32	8	11	38°
22070-12242	type spz/10/z	for taper bush 2012	G	2	28	8,5	2	224	112	14-50	195	8	12	32	4	11	38°
22070-12243	type spz/10/z	for taper bush 2012	F	3	40	8,5	2	224	112	14-50	195	8	12	32	4	11	38°
22070-12501	type spz/10/z	for taper bush 2012	C	1	16	8,5	2	250	110	14-50	223	8	12	32	8	11	38°
22070-12502	type spz/10/z	for taper bush 2012	C	2	28	8,5	2	250	112	14-50	223	8	12	32	2	11	38°
22070-12503	type spz/10/z	for taper bush 2012	I	3	40	8,5	2	250	112	14-50	223	8	12	32	4	11	38°
22070-12801	type spz/10/z	for taper bush 2012	C	1	16	8,5	2	280	110	14-50	252	8	12	32	8	11	38°
22070-12802	type spz/10/z	for taper bush 2012	C	2	28	8,5	2	280	112	14-50	253	8	12	32	2	11	38°
22070-12803	type spz/10/z	for taper bush 2517	C	3	40	8,5	2	280	124	18-65	254	8	12	45	2,5	11	38°
22070-13151	type spz/10/z	for taper bush 2012	C	1	16	8,5	2	315	110	14-50	288	8	12	32	8	11	38°
22070-13152	type spz/10/z	for taper bush 2012	C	2	28	8,5	2	315	110	14-50	288	8	12	32	2	11	38°
22070-20711	type spa/13/a	for taper bush 1108	A	1	20	11	2,8	71	60	11-28	-	10	15	22	2	13,8	34°
22070-13153	type spz/10/z	for taper bush 2517	C	3	40	8,5	2	315	120	18-65	288	8	12	45	2,5	11	38°
22070-20712	type spa/13/a	for taper bush 1108	J	2	35	11	2,8	71	-	11-28	40	10	15	22	13	13,8	34°
22070-20713	type spa/13/a	for taper bush 1108	J	3	50	11	2,8	71	-	11-28	40	10	15	22	28	13,8	34°
22070-20751	type spa/13/a	for taper bush 1108	A	1	20	11	2,8	75	60	11-28	-	10	15	22	2	13,8	34°
22070-20752	type spa/13/a	for taper bush 1108	J	2	35	11	2,8	75	-	11-28	44	10	15	22	13	13,8	34°
22070-20753	type spa/13/a	for taper bush 1108	J	3	50	11	2,8	75	-	11-28	44	10	15	22	28	13,8	34°
22070-20801	type spa/13/a	for taper bush 1210	A	1	20	11	2,8	80	84	11-32	-	10	15	25	5	13,8	34°
22070-20802	type spa/13/a	for taper bush 1210	J	2	35	11	2,8	80	-	11-32	50	10	15	25	10	13,8	34°
22070-20803	type spa/13/a	for taper bush 1210	J	3	50	11	2,8	80	-	11-32	50	10	15	25	25	13,8	34°
22070-20851	type spa/13/a	for taper bush 1210	A	1	20	11	2,8	85	88	11-32	-	10	15	25	5	13,8	34°
22070-20852	type spa/13/a	for taper bush 1210	J	2	35	11	2,8	85	-	11-32	55	10	15	25	10	13,8	34°
22070-20853	type spa/13/a	for taper bush 1210	J	3	50	11	2,8	85	-	11-32	55	10	15	25	25	13,8	34°
22070-20901	type spa/13/a	for taper bush 1210	A	1	20	11	2,8	90	90	11-32	-	10	15	25	5	13,8	34°
22070-20902	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	90	-	12-42	60	10	15	25	10	13,8	34°
22070-20903	type spa/13/a	for taper bush 1610	J	3	50	11	2,8	90	-	12-42	56	10	15	25	25	13,8	34°
22070-20951	type spa/13/a	for taper bush 1210	A	1	20	11	2,8	95	90	11-32	-	10	15	25	5	13,8	34°
22070-20952	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	95	-	12-42	62	10	15	25	10	13,8	34°
22070-20953	type spa/13/a	for taper bush 1610	J	3	50	11	2,8	95	-	12-42	62	10	15	25	25	13,8	34°
22070-21001	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	100	92	12-42	-	10	15	25	5	13,8	34°
22070-21002	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	100	-	12-42	66	10	15	25	10	13,8	34°
22070-21003	type spa/13/a	for taper bush 1610	B	3	50	11	2,8	100	-	12-42	66	10	15	25	25	13,8	34°
22070-21061	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	106	85	12-42	-	10	15	25	5	13,8	34°
22070-21062	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	106	-	12-42	72	10	15	25	10	13,8	34°
22070-21063	type spa/13/a	for taper bush 1610	B	3	50	11	2,8	106	-	12-42	72	10	15	25	25	13,8	34°
22070-21121	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	112	90	12-42	-	10	15	25	5	13,8	34°
22070-21122	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	112	-	12-42	77	10	15	25	10	13,8	34°
22070-21123	type spa/13/a	for taper bush 2012	J	3	50	11	2,8	112	-	14-50	77	10	15	32	18	13,8	34°
22070-21181	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	118	96,4	12-42	-	10	15	25	5	13,8	34°
22070-21182	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	118	-	12-42	85	10	15	25	10	13,8	34°
22070-21183	type spa/13/a	for taper bush 2012	B	3	50	11	2,8	118	-	14-50	85	10	15	32	18	13,8	34°
22070-21251	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	125	92	12-42	-	10	15	25	20	13,8	38°
22070-21252	type spa/13/a	for taper bush 1610	J	2	35	11	2,8	125	-	12-42	92	10	15	25	10	13,8	38°
22070-21253	type spa/13/a	for taper bush 2012	B	3	50	11	2,8	125	-	14-50	92	10	15	32	18	13,8	38°
22070-21321	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	132	92	12-42	-	10	15	25	5	13,8	38°
22070-21322	type spa/13/a	for taper bush 2012	J	2	35	11	2,8	132	-	14-50	97	10	15	32	3	13,8	38°
22070-21323	type spa/13/a	for taper bush 2012	B	3	50	11	2,8	132	-	14-50	97	10	15	32	18	13,8	38°
22070-21401	type spa/13/a	for taper bush 1610	A	1	20	11	2,8	140	92	12-42	-	10	15	25	5	13,8	38°

## V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



22070-21402	type spa/13/a	for taper bush 2012	J	2	35	11	2,8	140	-	14-50	106	10	15	32	3	13,8	38°
22070-21403	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	140	-	18-65	106	10	15	45	5	13,8	38°
22070-21501	type spa/13/a	for taper bush 1610	D	1	20	11	2,8	150	92	12-42	-	10	15	25	5	13,8	38°
22070-21502	type spa/13/a	for taper bush 2012	J	2	35	11	2,8	150	-	14-50	116	10	15	32	3	13,8	38°
22070-21503	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	150	-	18-65	116	10	15	45	5	13,8	38°
22070-21601	type spa/13/a	for taper bush 1610	D	1	20	11	2,8	160	92	12-42	-	10	15	25	5	13,8	38°
22070-21602	type spa/13/a	for taper bush 2012	J	2	35	11	2,8	160	-	14-50	126	10	15	32	3	13,8	38°
22070-21603	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	160	-	18-65	126	10	15	45	5	13,8	38°
22070-21701	type spa/13/a	for taper bush 1610	D	1	20	11	2,8	170	92	12-42	-	10	15	25	5	13,8	38°
22070-21702	type spa/13/a	for taper bush 2012	J	2	35	11	2,8	170	-	14-50	135	10	15	32	3	13,8	38°
22070-21703	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	170	-	18-65	135	10	15	45	5	13,8	38°
22070-21801	type spa/13/a	for taper bush 1610	D	1	20	11	2,8	180	92	12-42	146	10	15	25	5	13,8	38°
22070-21802	type spa/13/a	for taper bush 2012	F	2	35	11	2,8	180	108	14-50	146	10	15	32	1,5	13,8	38°
22070-21803	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	180	-	18-65	146	10	15	45	5	13,8	38°
22070-21901	type spa/13/a	for taper bush 1610	D	1	20	11	2,8	190	92	12-42	156	10	15	25	5	13,8	38°
22070-21902	type spa/13/a	for taper bush 2012	F	2	35	11	2,8	190	108	14-50	156	10	15	32	1,5	13,8	38°
22070-21903	type spa/13/a	for taper bush 2517	J	3	50	11	2,8	190	-	18-65	165	10	15	45	5	13,8	38°
22070-22001	type spa/13/a	for taper bush 2012	D	1	20	11	2,8	200	108	14-50	165	10	15	32	12	13,8	38°
22070-22002	type spa/13/a	for taper bush 2517	L	2	35	11	2,8	200	123	18-65	165	10	15	45	5	13,8	38°
22070-22003	type spa/13/a	for taper bush 2517	F	3	50	11	2,8	200	123	18-65	177	10	15	45	2,5	13,8	38°
22070-22241	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	224	112	14-50	189	10	15	32	12	13,8	38°
22070-22242	type spa/13/a	for taper bush 2517	D	2	35	11	2,8	224	124	18-65	189	10	15	45	10	13,8	38°
22070-22243	type spa/13/a	for taper bush 2517	F	3	50	11	2,8	224	124	18-65	189	10	15	45	2,5	13,8	38°
22070-22361	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	236	110	14-50	203	10	15	32	12	13,8	38°
22070-22362	type spa/13/a	for taper bush 2517	G	2	35	11	2,8	236	124	18-65	203	10	15	45	10	13,8	38°
22070-22363	type spa/13/a	for taper bush 2517	I	3	50	11	2,8	236	124	18-65	203	10	15	45	2,5	13,8	38°
22070-22501	type spa/13/a	for taper bush 2012	C	1	20	11	2,8	250	112	14-50	215	10	15	32	6	13,8	38°
22070-22502	type spa/13/a	for taper bush 2517	C	2	35	11	2,8	250	124	18-65	215	10	15	45	5	13,8	38°
22070-22503	type spa/13/a	for taper bush 2517	I	3	50	11	2,8	250	124	18-65	215	10	15	45	2,5	13,8	38°
22070-22801	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	280	110	14-50	246	10	15	32	10	13,8	38°
22070-22802	type spa/13/a	for taper bush 2517	G	2	35	11	2,8	280	120	18-65	246	10	15	45	10	13,8	38°
22070-22803	type spa/13/a	for taper bush 2517	I	3	50	11	2,8	280	124	18-65	246	10	15	45	2,5	13,8	38°
22070-23151	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	315	110	14-50	282	10	15	32	10	13,8	38°
22070-23152	type spa/13/a	for taper bush 2517	G	2	35	11	2,8	315	120	18-65	282	10	15	45	10	13,8	38°
22070-23153	type spa/13/a	for taper bush 3020	C	3	50	11	2,8	315	146	22-75	282	10	15	51	0,5	13,8	38°
22070-23551	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	355	110	14-50	322	10	15	32	10	13,8	38°
22070-23552	type spa/13/a	for taper bush 2517	G	2	35	11	2,8	355	120	18-65	322	10	15	45	10	13,8	38°
22070-23553	type spa/13/a	for taper bush 3020	C	3	50	11	2,8	355	146	22-75	322	10	15	51	0,5	13,8	38°
22070-24001	type spa/13/a	for taper bush 2012	G	1	20	11	2,8	400	110	14-50	366	10	15	32	10	13,8	38°
22070-24002	type spa/13/a	for taper bush 2517	G	2	35	11	2,8	400	120	18-65	366	10	15	45	10	13,8	38°
22070-24003	type spa/13/a	for taper bush 3020	G	3	50	11	2,8	400	159	22-75	366	10	15	51	1	13,8	38°
22070-30901	type spb/17/b	for taper bush 1210	A	1	25	14	3,5	90	-	14-50	-	12,5	19	25	-	17,5	34°
22070-30902	type spb/17/b	for taper bush 1210	J	2	44	14	3,5	90	-	14-50	52	12,5	19	25	19	17,5	34°
22070-30903	type spb/17/b	for taper bush 1210	J	3	63	14	3,5	90	-	14-50	50	12,5	19	25	38	17,5	34°
22070-31001	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	100	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31002	type spb/17/b	for taper bush 1610	J	2	44	14	3,5	100	-	12-42	57	12,5	19	25	19	17,5	34°
22070-31003	type spb/17/b	for taper bush 1610	J	3	63	14	3,5	100	-	12-42	57	12,5	19	25	38	17,5	34°
22070-31121	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	112	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31122	type spb/17/b	for taper bush 1610	B	2	44	14	3,5	112	-	12-42	69	12,5	19	25	19	17,5	34°

## V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



22070-31123	type spb/17/b	for taper bush 1610	J	3	63	14	3,5	112	-	12-42	69	12,5	19	25	38	17,5	34°
22070-31181	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	118	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31182	type spb/17/b	for taper bush 1610	B	2	44	14	3,5	118	-	12-42	76	12,5	19	25	19	17,5	34°
22070-31183	type spb/17/b	for taper bush 1610	J	3	63	14	3,5	118	-	12-42	76	12,5	19	25	38	17,5	34°
22070-31251	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	125	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31252	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	125	-	14-50	86	12,5	19	32	12	17,5	34°
22070-31253	type spb/17/b	for taper bush 2012	B	3	63	14	3,5	125	-	14-50	86	12,5	19	32	31	17,5	34°
22070-31321	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	132	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31322	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	132	-	14-50	89	12,5	19	32	12	17,5	34°
22070-31323	type spb/17/b	for taper bush 2012	B	3	63	14	3,5	132	-	14-50	89	12,5	19	32	31	17,5	34°
22070-31401	type spb/17/b	for taper bush 1610	A	1	25	14	3,5	140	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31402	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	140	-	14-50	97	12,5	19	32	12	17,5	34°
22070-31403	type spb/17/b	for taper bush 2012	B	3	63	14	3,5	140	-	14-50	97	12,5	19	32	31	17,5	34°
22070-31501	type spb/17/b	for taper bush 1610	D	1	25	14	3,5	150	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31502	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	150	-	14-50	107	12,5	19	32	12	17,5	34°
22070-31503	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	150	-	18-65	107	12,5	19	45	18	17,5	34°
22070-31601	type spb/17/b	for taper bush 1610	D	1	25	14	3,5	160	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31602	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	160	-	14-50	120	12,5	19	32	12	17,5	34°
22070-31603	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	160	-	18-65	120	12,5	19	45	18	17,5	34°
22070-31701	type spb/17/b	for taper bush 1610	D	1	25	14	3,5	170	-	12-42	-	12,5	19	25	-	17,5	34°
22070-31702	type spb/17/b	for taper bush 2012	B	2	44	14	3,5	170	-	14-50	130	12,5	19	32	12	17,5	34°
22070-31703	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	170	-	18-65	130	12,5	19	45	18	17,5	34°
22070-31801	type spb/17/b	for taper bush 1610	F	1	25	14	3,5	180	90	12-42	132	12,5	19	25	-	17,5	34°
22070-31802	type spb/17/b	for taper bush 2517	A	2	44	14	3,5	180	120	18-65	-	12,5	19	45	1	17,5	34°
22070-31803	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	180	-	18-65	137	12,5	19	45	18	17,5	34°
22070-31901	type spb/17/b	for taper bush 2012	L	1	25	14	3,5	190	104	14-50	147	12,5	19	32	3,5	17,5	34°
22070-31902	type spb/17/b	for taper bush 2517	A	2	44	14	3,5	190	120	18-65	-	12,5	19	45	1	17,5	34°
22070-31903	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	190	-	18-65	147	12,5	19	45	18	17,5	34°
22070-32001	type spb/17/b	for taper bush 2012	L	1	25	14	3,5	200	104	14-50	157	12,5	19	32	3,5	17,5	34°
22070-32002	type spb/17/b	for taper bush 2517	D	2	44	14	3,5	200	117	18-65	-	12,5	19	45	1	17,5	34°
22070-32003	type spb/17/b	for taper bush 2517	B	3	63	14	3,5	200	-	18-65	157	12,5	19	45	18	17,5	34°
22070-32121	type spb/17/b	for taper bush 2012	C	1	25	14	3,5	212	104	14-50	169	12,5	19	32	3,5	17,5	34°
22070-32122	type spb/17/b	for taper bush 2517	D	2	44	14	3,5	212	125	18-65	169	12,5	19	45	1	17,5	34°
22070-32123	type spb/17/b	for taper bush 2517	E	3	63	14	3,5	212	125	18-65	169	12,5	19	45	18	17,5	34°
22070-32241	type spb/17/b	for taper bush 2012	L	1	25	14	3,5	224	104	14-50	181	12,5	19	32	3,5	17,5	34°
22070-32242	type spb/17/b	for taper bush 2517	D	2	44	14	3,5	224	117	18-65	181	12,5	19	45	1	17,5	34°
22070-32243	type spb/17/b	for taper bush 2517	E	3	63	14	3,5	224	117	18-65	181	12,5	19	45	18	17,5	34°
22070-32362	type spb/17/b	for taper bush 2517	D	2	44	14	3,5	236	117	18-65	193	12,5	19	45	1	17,5	34°
22070-32363	type spb/17/b	for taper bush 2517	E	3	63	14	3,5	236	117	18-65	193	12,5	19	45	18	17,5	34°
22070-32501	type spb/17/b	for taper bush 2012	L	1	25	14	3,5	250	104	14-50	207	12,5	19	32	3,5	17,5	34°
22070-32502	type spb/17/b	for taper bush 2517	D	2	44	14	3,5	250	124	18-65	207	12,5	19	45	1	17,5	34°
22070-32503	type spb/17/b	for taper bush 3020	E	3	63	14	3,5	250	144	22-75	207	12,5	19	51	12	17,5	34°
22070-32801	type spb/17/b	for taper bush 2012	C	1	25	14	3,5	280	104	14-50	237	12,5	19	32	3,5	17,5	34°
22070-32802	type spb/17/b	for taper bush 2517	G	2	44	14	3,5	280	125	18-65	237	12,5	19	45	1	17,5	34°
22070-32803	type spb/17/b	for taper bush 3020	I	3	63	14	3,5	280	144	22-75	237	12,5	19	51	6	17,5	34°
22070-33001	type spb/17/b	for taper bush 2012	C	1	25	14	3,5	300	104	14-50	285	12,5	19	32	3,5	17,5	34°
22070-33002	type spb/17/b	for taper bush 2517	G	2	44	14	3,5	300	125	18-65	257	12,5	19	45	1	17,5	34°
22070-33003	type spb/17/b	for taper bush 3020	I	3	63	14	3,5	300	144	22-75	257	12,5	19	51	6	17,5	34°
22070-33151	type spb/17/b	for taper bush 2012	C	1	25	14	3,5	315	104	14-50	272	12,5	19	32	3,5	17,5	34°

# V-belt pulleys, grey cast iron

for mounting with taper clamping bushes



<b>22070-33152</b>	type spb/17/b	for taper bush 2517	G	2	44	14	3,5	315	125	18-65	272	12,5	19	45	1	17,5	34°
<b>22070-33153</b>	type spb/17/b	for taper bush 3020	I	3	63	14	3,5	315	144	22-75	272	12,5	19	51	6	17,5	34°
<b>22070-33552</b>	type spb/17/b	for taper bush 2517	C	2	44	14	3,5	355	146	22-75	315	12,5	19	51	3,5	17,5	38°
<b>22070-33553</b>	type spb/17/b	for taper bush 3020	I	3	63	14	3,5	355	146	22-75	315	12,5	19	51	6	17,5	38°
<b>22070-34002</b>	type spb/17/b	for taper bush 3020	C	2	44	14	3,5	400	146	22-75	357	12,5	19	51	3,5	17,5	38°