



LEVELLING GLIDE EA With Swivel Function

LOAD CAPACITY 490~2646 N


- Parts can be easily separated for recycling purpose.
- Bolt swivels to compensate for uneven floors (see below table for swivel angle).

Parts can be easily separated for recycling purpose.



No.	Part Name	Material	Finish/Colour
①	Cover	ABS	Dark Grey
②	Base		
③	Threaded Bolt	Steel (SWRM)	Coloured Zinc Chromate (Trivalent)


RHS	CAD	Item Code	Item Name	d	D	H	h ₁	h ₂	S	B	C	θ°	Load Capacity N/pc	Load Capacity kg/pc	Weight (g)	Box (pcs)	Carton (pcs)
☑	3D	200-140-911	EA-25M6	M6	25	31	14	8.5	17	8	9.2	10	490	50	10	120	1200
☑	3D	200-140-912	EA-30M8	M8	30	37.5	17	10.5	20.5	10	11.5	15	980	100	20	80	800
☑	3D	200-140-913	EA-40M10	M10	40	42.5	20.5	13	22	13	15	12.5	1274	130	32	40	400
☑	3D	200-140-910	EA-50M12	M12	50	51	25	16	26	17	19.6	10	2646	270	60	20	200

LEVELLING GLIDE MN With Swivel Function

LOAD CAPACITY 1176~1568 N

TEST METHOD 14


- Swivels approximately 8° to compensate for uneven floors.
- Levelling glide with plastic base to prevent from scratching the floor.



No.	Part Name	Material	Finish/Colour
①	Threaded Bolt	Steel (SWCH)	Chrome
②	Cover	Stainless Steel (SUS304)	-
③	Base	PP	Natural

RHS	CAD	Item Code	Item Name	d	D	H	h ₁	h ₂	S	Load Capacity N/pc	Load Capacity kg/pc	Weight (g)	Box (pcs)	Carton (pcs)
☑	3D	200-140-401	MN-25M8	M8	25	40	13	9	27	1176	120	26	100	600
☑	3D	200-140-400	MN-25N2.5	W5/16									100	600
☑	3D	200-140-403	MN-32M10	M10	32	40	13	9	27	1568	160	34	80	480
☑	3D	200-140-402	MN-32N3	W3/8									80	480
☑	3D	200-140-405	MN-36M10	M10	36	40	13	9	27	1568	160	39	60	360
☑	3D	200-140-404	MN-36N3	W3/8									60	360
☑	3D	200-140-407	MN-40M10	M10	40	40	13	9	27	1568	160	42	50	300
☑	3D	200-140-406	MN-40N3	W3/8									50	300
☑	3D	200-140-409	MN-50M12	M12	50	50	16	11	34	1568	160	77	20	120
☑	3D	200-140-408	MN-50N4	W1/2									20	120