

Suction cup connection nipple

SA-NIP N004 G1/8-AG DN200

<https://www.schmalz.com/10.01.01.03528>



Part no.: 10.01.01.03528

Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Packaging > SA-NIP N004


G1/8-AG DN200

Suction cup connection nipple



Nipple: N 004
Thread G1: G1/8"-M
Overall length: 17 mm
Fitting length: 5 mm
Nominal size: 2.00 mm
Material: Aluminium

Design Data



Attribute	Value
-----------	-------

D	6 mm
dn	2 mm
D2	4 mm
G1	G1/8"-M
L	5 mm
L1	17 mm
L2	2 mm
L3	2 mm
LG1	8 mm
SW1	14 mm

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Nipple	N 004
Material	Aluminium
Weight	4 g

Accessories



PFG 5 FPM-65 N004

Part no. 10.01.01.00067

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material:

Fluorocautchuc FPM

Material hardness: 65 °Sh

Material property: imprint-free



PFG 5 HT1-60 N004

Part no. 10.01.01.11158

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Material property: imprint-free



PFG 5 NBR-55 N004

Part no. 10.01.01.00007

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh



PFG 5 NBR-AS-55 N004

Part no. 10.01.01.10064

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material:

Nitrile rubber NBR-antistat

Material hardness: 55 °Sh



PFG 5 SI-55 N004

Part no. 10.01.01.00027

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material: Silicone SI

Material hardness: 55 °Sh

Material characteristics:

FDA-compatible



PFG 5 SI-AS-55 N004

Part no. 10.01.01.10051

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 5

Suction cup material:

Silicone SI-antistatisch

Material hardness: 55 °Sh



PFG 6 FPM-65 N004

Part no. 10.01.01.00068

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material:

Fluorocautchuc FPM

Material hardness: 65 °Sh

Material property: imprint-free



PFG 6 HT1-60 N004

Part no. 10.01.01.11159

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Material property: imprint-free



PFG 6 NBR-55 N004

Part no. 10.01.01.00008

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh



PFG 6 NBR-AS-55 N004

Part no. 10.01.01.10065

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material:

Nitrile rubber NBR-antistat

Material hardness: 55 °Sh



PFG 6 SI-55 N004

Part no. 10.01.01.00028

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material: Silicone SI

Material hardness: 55 °Sh

Material characteristics:

FDA-compatible



PFG 6 SI-AS-55 N004

Part no. 10.01.01.00626

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 6

Suction cup material:

Silicone SI-antistatisch

Material hardness: 55 °Sh



PFG 8 FPM-65 N004

Part no. 10.01.01.00069

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material:

Fluorocautchuc FPM

Material hardness: 65 °Sh

Material property: non-marking



PFG 8 HT1-60 N004

Part no. 10.01.01.11160

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Material property: non-marking



PFG 8 NBR-55 N004

Part no. 10.01.01.00009

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh



PFG 8 NBR-AS-55 N004

Part no. 10.01.01.10043

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material:

Nitrile rubber NBR-antistat

Material hardness: 55 °Sh



PFG 8 PU-55 N004

Part no. 10.01.01.00049

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material: Polyurethane PU

Material hardness: 55 °Sh

**PFG 8 SI-55 N004**

Part no. 10.01.01.00029

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material: Silicone SI

Material hardness: 55 °Sh

Material characteristics:

FDA-compatible

**PFG 8 SI-AS-55 N004**

Part no. 10.01.01.00647

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 8

Suction cup material:

Silicone SI-antistatisch

Material hardness: 55 °Sh

**PFG 10 FPM-65 N004**

Part no. 10.01.01.00070

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material:

Fluorocautchuc FPM

Material hardness: 65 °Sh

Material property: non-marking



PFG 10 HT1-60 N004

Part no. 10.01.01.11161

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Material property: imprint-free



PFG 10 NBR-55 N004

Part no. 10.01.01.00010

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh



PFG 10 NBR-AS-55 N004

Part no. 10.01.01.10066

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material:

Nitrile rubber NBR-antistat

Material hardness: 55 °Sh



PFG 10 PU-55 N004

Part no. 10.01.01.00050

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material: Polyurethane PU

Material hardness: 55 °Sh



PFG 10 SI-55 N004

Part no. 10.01.01.00030

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material: Silicone SI

Material hardness: 55 °Sh

Material characteristics:
FDA-compatible



PFG 10 SI-AS-55 N004

Part no. 10.01.01.00701

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 10

Suction cup material:

Silicone SI-antistatisch

Material hardness: 55 °Sh