

Suction cup connection nipple

SA-NIP N006 G1/8-AG DN200

<https://www.schmalz.com/10.01.01.03530>



Part no.: 10.01.01.03530

Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Different Industries > SA-NIP


N006 G1/8-AG DN200

Suction cup connection nipple



Nipple: N 006
Thread G1: G1/8-M
Overall length: 19.5 mm
Fitting length: 5 mm
Nominal size: 2.00 mm
Material: Aluminium

Design Data



Attribute	Value
D	10 mm
dn	2 mm
D2	5 mm
G1	G1/8"-M
L	5 mm
L1	19.5 mm
L2	4.5 mm
L3	2 mm
LG1	8 mm
SW1	14 mm

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Nipple	N 006
Material	Aluminium
Weight	4.3 g

Accessories



PFG 20 FPM-65 N006

Part no. 10.01.01.00072

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material:

Fluorocautchuc FPM

Material hardness: 65 °Sh

Material property: imprint-free



PFG 20 HT1-60 N006

Part no. 10.01.01.11163

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Material property: imprint-free



PFG 20 NBR-55 N006

Part no. 10.01.01.00012

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh



PFG 20 NBR-AS-55 N006

Part no. 10.01.01.10337

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material:

Nitrile rubber NBR-antistat

Material hardness: 55 °Sh



PFG 20 PU-55 N006

Part no. 10.01.01.00052

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material: Polyurethane PU

Material hardness: 55 °Sh



PFG 20 SI-55 N006

Part no. 10.01.01.00032

Flat suction cup (round) for smooth or slightly rough surfaces

Size: 20

Suction cup material: Silicone SI

Material hardness: 55 °Sh

Material characteristics:

FDA-compatible