https://www.schmalz.com/10.01.01.10097

SCHMALZ

Suction-pad connection nipple (inst) SA-NIP N009 G1/4-AG

Part no.: 10.01.01.10097

Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Flat Suction Cups (Round) > SA-NIP N009


G1/4-AG

Suction-pad connection nipple pre-assembly



Nipple: N 009 Thread 1: G1/4-M Length: 5 mm for: Flat suction pad PFG

Design Data



Attribute	Value
dn	5.5 mm
G1	G1/4"-M
G2	M10x1.25-M
L	5 mm
L1	25 mm
LG1	10 mm
SW1	17 mm

Technical Data

Attribute	Value
Nipple	N 009



Attribute

Weight

Value

9.2 g

Accessories







PFG 60 FPM-65 N009 M10x1.25-IG

Part no. 10.01.01.00078 Flat suction cup (round) for smooth or slightly rough surfaces Size: 60 Suction cup material: Fluorocaoutchuc FPM Material hardness: 65 °Sh Connection thread: M10x1.25-F Material property: imprint-free

PFG 60 HT1-60 N009 M10x1.25-IG

Part no. 10.01.01.11169 Flat suction cup (round) for smooth or slightly rough surfaces Size: 60 Suction cup material: High temp material HT1 Material hardness: 60 °Sh Connection thread: M10x1.25-F Material property: imprint-free

PFG 60 NBR-55 N009 M10x1.25-IG

Part no. 10.01.01.00018 Flat suction cup (round) for smooth or slightly rough surfaces Size: 60 Suction cup material: Nitrile rubber NBR Material hardness: 55 °Sh Connection thread: M10x1.25-F





PFG 60 PU-55 N009 M10x1.25-IG

Part no. 10.01.01.00058 Flat suction cup (round) for smooth or slightly rough surfaces Size: 60 Suction cup material: Polyurethane PU Material hardness: 55 °Sh Connection thread: M10x1.25-F





PFG 60 SI-55 N009 M10x1.25-IG

Part no. 10.01.01.00038 Flat suction cup (round) for smooth or slightly rough surfaces Size: 60 Suction cup material: Silicone SI Material hardness: 55 °Sh Material characteristics: FDA-compatible Connection thread: M10x1.25-F

PFG 80 FPM-65 N009 M10x1.25-IG

Part no. 10.01.01.00079 Flat suction cup (round) for smooth or slightly rough surfaces Size: 80 Suction cup material: Fluorocaoutchuc FPM Material hardness: 65 °Sh Connection thread: M10x1.25-F Material property: imprint-free







Part no. 10.01.01.11170 Flat suction cup (round) for smooth or slightly rough surfaces Size: 80 Suction cup material: High temp material HT1 Material hardness: 60 °Sh Connection thread: M10x1.25-F Material property: imprint-free



PFG 80 NBR-55 N009 M10x1.25-IG

Part no. 10.01.01.00019 Flat suction cup (round) for smooth or slightly rough surfaces Size: 80 Suction cup material: Nitrile rubber NBR Material hardness: 55 °Sh Connection thread: M10x1.25-F



PFG 80 PU-55 N009 M10x1.25-IG

Part no. 10.01.01.00059 Flat suction cup (round) for smooth or slightly rough surfaces Size: 80 Suction cup material: Polyurethane PU Material hardness: 55 °Sh Connection thread: M10x1.25-F









PFG 80 SI-55 N009 M10x1.25-IG

Part no. 10.01.01.00039 Flat suction cup (round) for smooth or slightly rough surfaces Size: 80 Suction cup material: Silicone SI Material hardness: 55 °Sh Material characteristics: FDA-compatible Connection thread: M10x1.25-F

PFG 95 FPM-65 N009 M10x1.25-IG

Part no. 10.01.01.00080 Flat suction cup (round) for smooth or slightly rough surfaces Size: 95 Suction cup material: Fluorocaoutchuc FPM Material hardness: 65 °Sh Connection thread: M10x1.25-F Material property: imprint-free

PFG 95 NBR-55 N009 M10x1.25-IG

Part no. 10.01.01.00020 Flat suction cup (round) for smooth or slightly rough surfaces Size: 95 Suction cup material: Nitrile rubber NBR Material hardness: 55 °Sh Connection thread: M10x1.25-F





PFG 95 PU-55 N009 M10x1.25-IG

Part no. 10.01.01.00060 Flat suction cup (round) for smooth or slightly rough surfaces Size: 95 Suction cup material: Polyurethane PU Material hardness: 55 °Sh Connection thread: M10x1.25-F



PFG 95 SI-55 N009 M10x1.25-IG

Part no. 10.01.01.00040 Flat suction cup (round) for smooth or slightly rough surfaces Size: 95 Suction cup material: Silicone SI Material hardness: 55 °Sh Material characteristics: FDA-compatible Connection thread: M10x1.25-F