

Floating suction cup

SBS 60 SF G1/8-IG CS

Part no.: 10.01.01.12777

<https://www.schmalz.com/10.01.01.12777>




Homepage > Vacuum Technology for Automation > Vacuum Components > Special Grippers > Floating Suction Cups > Floating Suction Cups SBS
> SBS 60 SF G1/8-IG CS

Floating suction cup for handling sensitive workpieces



Diameter: 60 mm
Shape: Standard Flow
Compressed-air connection: G1/8-F
Construction: Central Support

Design Data



Attribute	Value
-----------	-------

B	61.6 mm
---	---------

D	60 mm
---	-------

G1	G1/8"-F
----	---------

G2	M4-F
----	------

G3	G1/8"-F
----	---------

H	17 mm
---	-------

H1	17.4 mm
----	---------

LG1	5 mm
-----	------

LG2	6 mm
-----	------

LG3	6 mm
-----	------

X1	45 mm
----	-------

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Holding force	13 N
Air consumption	9 m³/h
Air consumption	150 l/min
Pressure range (operating pressure)	1.0 ... 6.0 bar
Weight	120 g

Note:

- Air consumption: The values provided are based on an operating pressure of 5 bar, measured on a suction-tight workpiece. The actual values may differ depending on the properties of the workpiece.

Spare Parts



REIB-FL SBS HT1-60

Part no. 10.01.01.12593

Friction Surface to increase lateral forces
for: Floating suction pad

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh



REIB-FL SBS HT1-60

Part no. 10.01.01.12780

Friction Surface to increase lateral forces
for: Floating suction cup

Suction cup material:

High temp material HT1

Material hardness: 60 °Sh

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 |
customercenter@schmalz.de

