

# Needle gripper

## SNG-AP 10 0.8 V 3

Part no.: 10.01.29.00340

<https://www.schmalz.com/10.01.29.00340>




Homepage > Vacuum Technology for Automation > Vacuum Components > Special Grippers > Needle Grippers > Needle Grippers SNG-AP > SNG-AP 10 0.8 V 3

## Pneumatic needle gripper in maintenance-friendly design infinitely adjustable stroke



Number of needles: 10  
 Needle diameter: 0.8 mm  
 Needle stroke Z(NA): 3 mm  
 Pressure range (operating pressure):  
 3.0 ... 6.0 bar

### Design Data



Attribute	Value
B	35 mm
G1	M5-F
G4	M5-F
H	80.18 mm
H2	46.1 mm
L	65 mm
L2	28 mm
W (E)	30 °
X1	29 mm
Y1	29 mm
Z (NA)	3 mm


### Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | [customercenter@schmalz.de](mailto:customercenter@schmalz.de)

## Technical Data

Attribute	Value
Number of needles	10
Needle diameter	0.8 mm
Pressure range (operating pressure)	3.0 ... 6.0 bar
Ambient temperature	5 ... 75 °C
Installation position	Any
Weight	190 g
Additional function	Variable stroke

## Spare Parts



### ERS-SET SNG-AP/AE 10 0.8 3

Part no. 10.01.29.00405

Set of spare parts  
for: Needle gripper

Size: AP/AE

contains: 2 Needle wedges inst.

Number of needles: 10

Needle diameter: 0.8 mm

Needle stroke Z(NA): 3 mm



### ERS-SET SNG-AP/AE 3

Part no. 10.01.29.00419

Set of spare parts  
for: Needle gripper

Size: AP/AE

Needle stroke Z(NA): 3 mm

## Accessories



### **Bef-PL 38x15x11.5 G1/4-IG SNG**

Part no. 10.01.29.00403

Mounting plate

Length: 38 mm

Width: 15 mm

Height: 11.5 mm

Thread 1: G1/4-F

for: Needle gripper



### **HTS-A2 AP SNG**

Part no. 10.01.29.00402

Holder system

Cross-beam connection:

Bolt with slot  $\varnothing$ 19mm

Shape: with adapterplate

for: Needle gripper



### **HTS-A3 AP SNG AP/AE**

Part no. 10.01.29.00322

Holder system

Cross-beam connection:

Ball head 28.5 mm

Shape: with adapterplate

for: Needle gripper

Size: AP/AE



**SET SNG AP-Sensor**

Part no. 10.01.29.00400

Retrofit kit

for: Needle gripper

Size: AP-Sensor

contains: Sensor + Fixing material



**STV-W M5-AG 6**

Part no. 10.08.02.00296

Screw plug connection, swivelling elbow

Thread G1: M5-M

External hose diameter: 6 mm

Material: Plastic



**STV-GE M5-AG 6**

Part no. 10.08.02.00201

Screw plug connection, straight

Thread G1: M5-M

External hose diameter: 6 mm

Material: Brass

Surface: nickel plated

Ambient temperature: -20 ... 80 °C

**VSL 6-4 PU**

Part no. 10.07.09.00002

Hose for vacuum and compressed-air systems

External diameter D: 6 mm

Internal diameter d: 4 mm

Length (max): 500 m

Material: PU

Installation radius (min): 35 mm

Pressure range (operating pressure):

-0.95 ... 10.00 bar

Ambient temperature: -20 ... 90 °C