#### https://www.schmalz.com/10.01.06.02452

# Bellows suction cup (round)

SPB1 20 ED-65 SC040

Part no.: 10.01.06.02452



Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Packaging > SPB1 20 ED-65 SC040


# Bellows suction cup (round) with 1.5 corr. for dynamic handling of cardboard and rigid packaging



Size: 20

Suction cup material: Elastodur Material hardness: 65 °Sh Number of folds: 1.5

# **Design Data**



Attribute	Value
d	7.5 mm
d1	10.5 mm
d2	13.8 mm
D1	24.6 mm
Dk	15.1 mm
Dmax(S)	26.3 mm
Ds	21.4 mm
Н	18 mm
H2	4.6 mm
Z	8 mm



# **Technical Data**

Attribute	Value
Suction force	9.9 N
Pull-off force	16.2 N
Lateral force	9.8 N
Volume	3.105 cm <sup>3</sup>
Curve radius (min) (convex)	15 mm
Internal hose diameter (recom.)	4 mm
Size	20
Nipple	SC 040
Number of folds	1.5
Suction cup material	Elastodur
Material hardness	65 °Sh
Weight	2.2 g

# Accessories



# SC 040 G1/8-AG

Part no. 10.01.06.02490

Connection element for suction cup SchmalzConnector

Connection geometry: 040 Vacuum connection: G1/8-M Overall length: 20.2 mm Fitting length: 6 mm

Nominal diameter dn: 4.1 mm





### SC 040 G1/8-IG

Part no. 10.01.06.02482

Connection element for suction cup SchmalzConnector

Connection geometry: 040 Vacuum connection: G1/8-F Overall length: 20.7 mm Fitting length: 14 mm

Nominal diameter dn: 4.1 mm



#### SIEB 11x1 MS-A2 280 0.28/0.16

Part no. 10.07.01.00309

Screen

External diameter D: 11 mm

Length L: 1 mm

Material: Brass / Stainless steel

Filter pore size: 280 µm

Mesh: 0.28 mm Wire size: 0.16 mm



# SPI 18 PA

Part no. 10.01.06.03385

Insert disc for preventing film from being drawn in

Size: 18

Material: Polyamide Application: SPB1 20