

Spring plunger FSTE M3-IG 5

<https://www.schmalz.com/10.01.02.00613>



Part no.: 10.01.02.00613


Homepage > Vacuum Technology for Automation > Vacuum Components > Mounting Elements > Spring plungers > Spring Plungers FSTE > FSTE M3-IG 5

Spring plunger with damping and height compensation



Suction cup connection: M3-F
Vacuum connection: M3-F
Spring stroke Z: 5 mm

Design Data



Attribute	Value
-----------	-------

G1	M3-F
G2	M3-F
G3	M6x0.75-M
H	33.5 mm
H2	15 mm
LG1	3.8 mm
LG2	6 mm
LG3	10 mm
SW1	10 mm
SW2	4.5 mm
SW3	7 mm
Z	5 mm

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Spring rate	0.596 N/mm
Spring pretension	1.49 N
Spring force, centre	2.98 N
Vertical load	550 N
Horizontal load	47 N
Weight	9 g
Ambient temperature	0 ... 80 °C

Note:

- Spring force: Referred to 50% of operating stroke
 - Static loading: Maximum static loading
 - Horizontal stress: The specification of the horizontal stress refers to the lower edge of the plunger with extended spring. It is a maximum static stress and it impairs the spring compression and extension in horizontal position
-
-