

Suspension, fixable FST-C 100-HD1

<https://www.schmalz.com/10.01.20.01260>



Part no.: 10.01.20.01260

Homepage > Vacuum Technology for Automation > Vacuum Components > Mounting Elements > Suspension, fixable FST-C > FST-C 100-HD1

Suspension with height compensation and pneumat. clamping heavy-duty




Shape: Heavy Duty 1 sp. plug

Spring stroke Z: 100 mm

Weight: 9 kg

Design Data



Attribute	Value
-----------	-------

Z	100 mm
---	--------

L1	250 mm
----	--------

H	50 mm
---	-------

B1	410 mm
----	--------

H1	89.4 mm
----	---------

L	170 mm
---	--------

L2	220 mm
----	--------

B	170 mm
---	--------

B2	45 mm
----	-------

Accessories

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de



MOD-FLAN 157x120x60 SBX-C

Part no. 10.01.20.01275

Flange module

Length L: 157 mm

Width B: 120 mm

Height H: 60 mm

for: Large-area vacuum gripper-C



MOD-FLAN 157x120x60 SBX-C

Part no. 10.01.20.01274

Flange module

Length L: 157 mm

Width B: 120 mm

Height H: 60 mm

for: Large-area vacuum gripper-C



EMV 5 24V-DC 3/2 NO

Part no. 10.05.01.00068

Solenoid valve EMV for direct control of vacuum and compressed air

Nominal size: 5 mm

Voltage: 24V - DC

Function: 3/2-way valve

Control: Normally open

Connecting thread: G1/4-F

Power consumption (DC): 8 W



STV-GE G1/4-AG 6

Part no. 10.08.02.00205

Screw plug connection, straight

Thread G1: G1/4-M

External hose diameter: 6 mm

Material: Brass

Surface: nickel plated

Ambient temperature: -20 ... 80 °C